

Sample Pad

Document No.: MSDS/1003

Revision Date: 02 January 2022

## 1. Product & Company Identification

**Product Name** : Sample Pad

**Product Information**: Sample Pad is the platform where sample/analyte is placed at the

time of testing. The sample pad is a critical factor in the performance of lateral flow assays, as it needs the ability to accept the sample, treat the sample, and release the analyte with high efficiency. It should have uniform flow rate and should be free from binding capacity. axiflow sample pad made with pure Borosilicate Micro Glass Fibre. It does not bind proteins. It has excellent resistance to withstand tension and effectively filter components in

the sample to prevent analyte contamination

These Pad can be used for all kind of lateral flow testes like monitoring, ovulation, detecting infectious disease organisms, analysing drugs of abuse and measuring other analyst important to human physiology hCG, Cancer, Whole Blood test (HIV, Malaria) and also agricultural applications etc. using sandwich, competitive

or inhibition assays.

Product Code :

Cat. No.	Thickness	Material	Wicking
	(mm)	Type	Time (Sec.)
SP02(03)	400	Untreated Glass Fibre	-1
SP02(03)T	400	Treated Glass Fibre	30
SP02(06)	600	Untreated Glass Fibre	-1
SP02(06)T	600	Treated Glass Fibre	40

Company Name : Axiflow Biotech Private Limited

Address : Plot No. 328, sector56, Phase-V, EHTP, HSIIDC,

Kundli, Sonipat, Haryana, 131028 INDIA

Phone No. : +91-011-40578224 / 25

E-mail : <a href="mailto:arvind@axiflow.co.in">arvind@axiflow.co.in</a>, <a href="mailto:jatin@axiflow.co.in">jatin@axiflow.co.in</a>, <a href="mailto:jatin@axiflow.co.in">jatin@axiflow.co.in</a>, <a href="mailto:jatin@axiflow.co.in">jatin@axiflow.co.in</a>, <a href="mailto:jatin@axiflow.co.in">jatin@axiflow.co.in</a></a>

Website : www.axiflow.co.in

## 2. Physical Properties

Material : Borosilicate Glass Fiber

Physical State : Solid

**Colour** : White

Physical Form : Sheet/Reel

Odour : Odourless

**Boiling Point** : Not applicable

## 3. Chemical Properties

Water Solubility : Insoluble

pH : Neutral

**Melting Point** : Not applicable

**Evaporation Rate** : Not applicable

**Volatility** : Not applicable

Viscosity : Not applicable

#### 4. Hazard Identification

Major Health Hazards : No significant target effects reported.

**Physical Hazards**: Inhalation, Skin & Eye.

**Precautionary Measures**: Do not eat, drink or smoke when using this product. Avoid

contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Keep container closed. Wash thoroughly

after handling.

**Potential Health Effect**: Ingestion - Although, Unlikely to be ingested. It may cause

irritation of digestive system and kidney damage.

**Skin Contact -** No known any allergic reaction reported.

Eye Contact - Although, Unlikely to happened, It may cause

irritation and burns in eyes.

#### 5. First Aid Measures

**Eye Contact** : It is unlikely that emergency treatment will be required.

Wash with large amounts of water or normal saline until no

evidence of chemical remains. Get medical attention

immediately if needed.

**Skin Contact**: No skin problem has been reported. If it occurs, wash skin with

soap or mild detergent & large amounts of water,

Seek medical attention immediately if needed.

**Inhalation** : No Inhalation hazard. Still if any irritation arises, move

exposed person to fresh air. If breathing is irregular or if

respiratory arrest occurs, provide artificial respiration or oxygen

by trained personnel, Get medical help immediately.

**Ingestion**: Wash out mouth with water. Do not induce vomiting unless

directed to do so by medical personnel. Never give anything by

mouth to an unconscious person. Get medical attention

immediately.

## 6. Fire Fighting Measures

Flammability : Fiberglass is not flammable

**Extinguishing media** : Fiberglass will not support combustion. Water, dry powder

Sand, CO<sub>2</sub> and regular foam.

**Specific Hazards** : Promptly isolate the scene by removing all persons from

the vicinity of the incident if there is a fire. No action shall

be taken involving any personal risk or without suitable training.

Move containers from fire area if this can be done without

risk. Use water spray to keep fire exposed containers cool.

#### Special protective equipment for fire-fighters

Fire-fighters should wear appropriate equipment and self-contained breathing apparatus (SCBA) with a full face piece operated in positive pressure mode.

#### 7. Accidental Release Measures

**Methods for Clean up** : Move containers from spill area. Vacuum or sweep up material

and place in a designated, labelled waste container. Use spark

proof tools or explosion-proof equipment.

**Personal Precautions** : No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas. Do not touch or

walk through spilled material. Shut off ignition sources. No flares,

smoking or flames in hazard area. Provide adequate ventilation.

Wear appropriate respirator when ventilation is inadequate.

**Environmental Precautions**: Avoid dispersal of spilled material and run-off and contact

with soil, waterways, drains and sewers.

#### 8. Handling and Storage

Handling : Keep the product in original packing. Avoid direct sunlight and

organic solvents. Keep away from heat, sparks, flame and excessive

humidity or moisture. Eating, drinking and smoking should be

prohibited in areas where this material is handled, stored and

processed. Use explosion proof electrical equipment.

**Storage** : Store in a dry and well-ventilated area place. Store below 30 °C.

It is very good if the temperature is below 20 °C. Keep container

slightly closed to prevent moisture absorption and contamination.

## 9. Exposure Control/Personal Protection

Ventilation : Based on available information, additional ventilation is not

required. General ventilation is adequate.

**Personal Protection Equipment** 

**Eye Protection**: Eye protection not required under normal conditions

**Face Protection**: Face protection not required under normal conditions

**Skin Protection**: Protective gloves not required under normal conditions

**Respiratory Protection**: No respirator is required under normal conditions

## 10. Stability & Reactivity

**Reactivity** : Stable at normal temperatures and pressure.

**Stability** : Stable at normal temperatures and pressure.

**Condition to avoid** : Avoid heat, flames, sparks and other sources of ignition.

**Incompatibilities** : Acids, alcohols, amine, bases, ketones, oxidizing materials

**Hazardous**: Thermal decomposition products or contact with acids:

**Decomposition** : Oxides of nitrogen and oxides of carbon.

#### 11. Toxicological Information

Routes of Entry : Inhalation, Ingestion

**Primary Effects** : Harmful if inhaled or ingested.

On the skin : Severely irritates skin and may result in severe pain.

On the eye : Causes eye irritation.

**Ingestion** : Harmful if swallowed. Swallowing may result in severe stomach

pain.

**Inhalation** : May be harmful if inhaled. May cause irritation of the respiratory

tract and mucous membranes

## 12. Ecological Information

**Aquatic Toxicity** : Toxicity is expected to be low based on insolubility in water.

## 13. Disposal Considerations

**Waste Disposal** : The generation of waste should be avoided or minimized wherever

possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable

effluent treatment plant. Dispose of surplus and non-recyclable

product via a licensed waste disposable contractor.

Incineration and landfill should only be considered when recycling

material and it is not feasible. This container must be disposed of in a safe way. Cares should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

#### 14. Transport Information

**Transport Information**: These products are not classified as 'HAZARDOUS' or

'DANGEROUS' in the meaning of transport regulations.

#### 15. Regulatory Information

**HCS Classification** : Not flammable

**Protective Equipment** : Gloves, Lab Coat, Dust respirator. Wear appropriate respirator

when ventilation is inadequate. Splash goggles.

#### 16. Other Information

This Material Safety Data Sheet serves to complete but not to replace the technical product data sheets. The information and recommendations set forth above are taken from sources believed to be accurate as of the date hereof; however, Axiflow Biotech makes no warranty with respect to the accuracy of the information or the suitability of the recommendations and assumes no liability to any user thereof. The information contained in this sheet does not constitute a hazard assessment and should not be used in place of the user's own assessment of workplace risks as required by other health and safety legislation. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfill his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned. The above information is believed to be correct, but does not purport to be all-inclusive and shall be used only as a guide. Axiflow Biotech private limited shall not be held liable for any damage resulting from handling or from contact with the above product.

#### **MANUFACTURER DISCLAIMER**

Information given herein is offered in good faith as accurate and experience of supplier but without guarantee. Conditions of use and suitability of the product for particular uses are beyond our control; all risks of use of the product are therefore assumed by the user. Nothing is intended as a recommendation for uses.

Corporate Address: - Axiflow Biotech Private Limited 500, 5th floor, ITL twin tower ,Netaji Subhash place Delhi 110085 Factory Address: - Plot No. 328, sector56, Phase-V, EHTP, HSIIDC, Kundli, Sonipat, Haryana, 131028 INDIA

Ph.: +91-011-40578224/25, E-mail: Info@axiflow.co.in Website:www.Axiflow.co.in